

INDICE

MANUAL G - Línea 3037

3037 / 01 - Pág. 1
 Guía Pala 120 mm.



3037 / 03 - Pág. 1
 Guía Cajón 120 mm.



3037 / 04 - Pág. 1
 Guía Pala 150 mm.



3037 / 05 - Pág. 2
 Guía Cajón 150 mm.



3037 / 20 - Pág. 2
 Guía Cajón 163 mm.



3037 / 21 - Pág. 2
 Guía cajón 175 mm.



3037 / 08 - Pág. 3
 Tablilla



3037 / 02 - Pág. 3
 Zócalo



3005 / 08 - Pág. 3
 Tablilla



3037 / 107 - Pág. 3
 Guía recambio



3037 / 09 - Pág. 3
 Guía para mini



3037 / 16 - Pág. 3
 Guía central



3056 / 10 - Pág. 3
 Perfilin



3037 / 06 - Pág. 4
 Frente cajón 155



3037 / 15 - Pág. 4
 Frente cajón 185



3037/26 - Pág. 4
 Contrafrente
 cajon PVC



3037 / 22 - Pág. 4
 Contrafrente cajón
 PVC 185 mm.



3037 / 14 - Pág. 4
 Cabezal



3037 / 41 - Pág. 4
 Guía



3037 / 67 - Pág. 4
 Terminal



3037 / 27 - Pág. 5
 Riel inferior (Blackout y screem)



3037 / 28 - Pág. 5
 Eje tubular 44 mm
 (Blackout y screem)




3037 / 29 - Pág. 5
 Eje tubular 33 mm



3037 / 30 - Pág. 5
 Eje tubular 39 mm






3037/01

Guía Pala 120 mm.
1.126 g/m
4 barras 6.200 mm.



3037/03

Guía Cajón 120 mm.
1.122 g/m
4 barras de 6.200 mm.



3037/04

Guía Pala 150 mm.
1.288 g/m
4 barras de 6.200 mm




3037/05

Guía Cajón 150 mm.
1.223 g/m
4 barras de 6.200 mm.




3037/20

Guía Cajón 163 mm.
1.609 g/m
4 barras de 6.200 mm.



3037 / 21

Guía cajón 175 mm.
1.436 g/m
4 barras de 6.200 mm.




3037 / 08

Tablilla
 346 g/m
 10 barras de 6.200 mm.




3037 / 02

Zócalo
 293 g/m
 10 barras de 6.200 mm.




3037 / 107

Guía recambio
 292 g/m
 18 barras de 6.200 mm.



3005 / 08

Tablilla
 418 g/m
 12 barras de 6.150 mm.




3037 / 09

Guía para mini
 602 g/m
 8 barras de 6.200 mm.




3056 / 10

Perfilin
 229 g/m
 20 barras de 6.150 mm.




3037 / 16

Guía central
 923 g/m
 5 barras de 6.200 mm.




3037 / 06

Frente cajón 155
 829 g/m
 6 barras de 6.200 mm.




3037 / 15

Frente cajón 185
 994 g/m
 4 barras de 6.200 mm.



3037 / 26

Contrafrente cajón PVC
 875 g/m
 4 barras 6.200




3037 / 22

Contrafrente cajón PVC 185 mm.
 924 g/m
 4 barras de 6.200 mm.


LÍNEA 3037

MOSQUITEROS




3037 / 14

Cabezal
 608 g/m
 6 barras de 6.200 mm.




3037 / 41

Guía
 351 g/m
 12 barras de 6.200 mm.




3037 / 67

Terminal
 332 g/m
 10 barras 6.200 mm.




3037 / 27

Riel inferior (Blackout y screen).
235 g/m
15 barras de 6050 mm.




3037 / 28

Eje tubular 44 mm (Blackout y screen).
580 g/m
5 barras de 6050 mm.



3037 / 29

Eje tubular 33 mm.
413 g/m
6 barras de 6050 mm.



3037 / 30

Eje tubular 39 mm.
489 g/m
6 barras de 6050 mm.